

MEMORIAL UNIVERSITY OF NEWFOUNDLAND

DEPARTMENT OF MATHEMATICS AND STATISTICS

TEST 1

MATHEMATICS 1000-005

FALL 2024

SOLUTIONS

- [12] 1. (a) $f(2)$ is undefined
- (b) $\lim_{x \rightarrow 2^-} f(x) = -\infty$
- (c) $\lim_{x \rightarrow 2^+} f(x) = -\infty$
- (d) $\lim_{x \rightarrow 2} f(x) = -\infty$ (and therefore does not exist)
- (e) $f(0) = 2$
- (f) $\lim_{x \rightarrow 0^-} f(x) = -2$
- (g) $\lim_{x \rightarrow 0^+} f(x) = 2$
- (h) $\lim_{x \rightarrow 0} f(x)$ does not exist (because the one-sided limits are not equal)
- (i) $f(-3) = -4$
- (j) $\lim_{x \rightarrow -3^-} f(x) = 0$
- (k) $\lim_{x \rightarrow -3^+} f(x) = 0$
- (l) $\lim_{x \rightarrow -3} f(x) = 0$
- [6] 2. (a) Direct substitution results in a $\frac{0}{0}$ indeterminate form. Since this is a quasirational function, we use the Rationalisation Method:

$$\begin{aligned}
 \lim_{x \rightarrow 2} \frac{3x-6}{3-\sqrt{5x-1}} \cdot \frac{3+\sqrt{5x-1}}{3+\sqrt{5x-1}} &= \lim_{x \rightarrow 2} \frac{(3x-6)(3+\sqrt{5x-1})}{9-(5x-1)} \\
 &= \lim_{x \rightarrow 2} \frac{3(x-2)(3+\sqrt{5x-1})}{10-5x} \\
 &= \lim_{x \rightarrow 2} \frac{3(x-2)(3+\sqrt{5x-1})}{-5(x-2)} \\
 &= \lim_{x \rightarrow 2} \frac{3(3+\sqrt{5x-1})}{-5} \\
 &= \frac{3(3+3)}{-5} \\
 &= -\frac{18}{5}.
 \end{aligned}$$

- [4] (b) Again, we obtain a $\frac{0}{0}$ indeterminate form by direct substitution. But recall the special limit

$$\lim_{t \rightarrow 0} \frac{\sin(t)}{t} = 1.$$

We can rewrite the given limit as

$$\begin{aligned} \lim_{x \rightarrow 0} \frac{\sin^2(5x)}{x^2} &= \lim_{x \rightarrow 0} \left[\frac{\sin(5x)}{x} \right]^2 \\ &= \left[\lim_{x \rightarrow 0} \frac{\sin(5x)}{x} \right]^2 \\ &= \left[\lim_{x \rightarrow 0} \frac{\sin(5x)}{x} \cdot \frac{5}{5} \right]^2 \\ &= 25 \left[\lim_{x \rightarrow 0} \frac{\sin(5x)}{5x} \right]^2 \\ &= 25 \cdot 1^2 \\ &= 25. \end{aligned}$$

- [6] (c) Direct substitution yields a difference of $\frac{K}{0}$ but, since the resulting limits would not exist, we cannot rewrite this as the difference of two limits. Instead, we rewrite the given function as a single rational function, and then use the Cancellation Method:

$$\begin{aligned} \lim_{x \rightarrow -3} \left[\frac{6}{x^2 - 9} - \frac{1}{x^2 + 5x + 6} \right] &= \lim_{x \rightarrow -3} \left[\frac{6}{(x-3)(x+3)} - \frac{1}{(x+2)(x+3)} \right] \\ &= \lim_{x \rightarrow -3} \frac{6(x+2) - (x-3)}{(x-3)(x+2)(x+3)} \\ &= \lim_{x \rightarrow -3} \frac{5x + 15}{(x-3)(x+2)(x+3)} \\ &= \lim_{x \rightarrow -3} \frac{5(x+3)}{(x-3)(x+2)(x+3)} \\ &= \lim_{x \rightarrow -3} \frac{5}{(x-3)(x+2)} \\ &= \frac{5}{-6 \cdot (-1)} \\ &= \frac{5}{6}. \end{aligned}$$

- [4] 3. Because $f(x)$ is a rational function, we need evaluate only one of the limits at infinity:

$$\begin{aligned}
 \lim_{x \rightarrow \infty} f(x) &= \lim_{x \rightarrow \infty} \frac{6x^2 + 7}{x(1 - 3x)} \\
 &= \lim_{x \rightarrow \infty} \frac{6x^2 + 7}{x - 3x^2} \cdot \frac{\frac{1}{x^2}}{\frac{1}{x^2}} \\
 &= \lim_{x \rightarrow \infty} \frac{6 + \frac{7}{x^2}}{\frac{1}{x} - 3} \\
 &= \lim_{x \rightarrow \infty} \frac{6 + 0}{0 - 3} \\
 &= -2.
 \end{aligned}$$

Hence the only horizontal asymptote is the line $y = -2$.

- [8] 4. (a) We have

$$\lim_{x \rightarrow 3^-} f(x) = \lim_{x \rightarrow 3^-} (kx + 7) = 3k + 7$$

and

$$\lim_{x \rightarrow 3^+} f(x) = \lim_{x \rightarrow 3^+} (x + k^2) = 3 + k^2.$$

In order for the limit to exist, we require

$$\begin{aligned}
 \lim_{x \rightarrow 3^-} f(x) &= \lim_{x \rightarrow 3^+} f(x) \\
 3k + 7 &= 3 + k^2 \\
 k^2 - 3k - 4 &= 0 \\
 (k - 4)(k + 1) &= 0
 \end{aligned}$$

so $k = 4$ or $k = -1$.

For $k = 4$, observe that

$$f(3) = 2\sqrt{4 + 5} = 6 \quad \text{and} \quad \lim_{x \rightarrow 3} f(x) = 19.$$

For $k = -1$, we see that

$$f(3) = 2\sqrt{-1 + 5} = 4 \quad \text{and} \quad \lim_{x \rightarrow 3} f(x) = 4.$$

- (b) Since $f(3) = \lim_{x \rightarrow 3} f(x)$ when $k = -1$ we may conclude that $f(x)$ is continuous at $x = 3$ for this value of k .
- (c) Since $f(3) \neq \lim_{x \rightarrow 3} f(x)$ but $\lim_{x \rightarrow 3} f(x)$ exists when $k = 4$ we may conclude that $f(x)$ has a removable discontinuity at $x = 3$ for this value of k .