

# References

- Abrams, P.A. (1999). Is predator-mediated coexistence possible in unstable systems? *Ecology* **80**, 608-621.
- Abrams, P.A. and L.R. Ginzburg. (2000). The nature of predation: prey dependent, ratio dependent, or neither? *Trends in Ecology and Evolution* **15**, 337-341.
- Adams, R.A. (1975). *Sobolev Spaces*. Academic Press, New York.
- Agmon, S., A. Douglis, and L. Nirenberg. (1959). Estimates near the boundary for solutions of elliptic partial differential equations satisfying general boundary conditions I. *Comm. Pure and Appl. Math.* **12**, 623-727.
- Alexander, J.C. and S.S. Antman. (1981). Global and local behavior of bifurcating multi-dimensional continua of solutions for multiparameter nonlinear eigenvalue problems. *Arch. Rat. Mech. Anal.* **76**, 339-354.
- Alikakos, N.D. (1979). An application of the invariance principle to reaction-diffusion equations, *J. Diff. Equations* **33**, 201-225.
- Allee, W.C. (1931). *Animal Aggregations, a Study on General Sociology*. University of Chicago Press, Chicago, IL.
- Allee, W.C. (1938). *The Social Life of Animals*. W.W. Norton and Co., New York.
- Amann, H. (1976). Fixed point equations and nonlinear eigenvalue problems in ordered Banach spaces. *SIAM Review* **18**, 620-709.
- Amann, H. (1985). Global existence for semilinear parabolic systems. *J. Reine Angew. Math.* **360**, 47-84.
- Amann, H. (1986). Quasilinear evolution equations and parabolic systems. *Trans. Amer. Math. Soc.* **293**, 191-227.
- Amann, H. (1988). Dynamic theory of quasilinear parabolic equations I: Abstract evolution equations. *Nonlinear Analysis TMA* **12**, 895-919.
- Amann, H. (1989). Dynamic theory of quasilinear parabolic systems III: Global existence. *Math. Z.* **202**, 219-250.
- Amann, H. (1990). Dynamic theory of quasilinear parabolic equations II: Reaction-diffusion systems. *Differential and Integral Equations* **3**, 13-75.
- Anderson, R.C. (1972). The ecological relationships of meningeal worm (*Pneumostrongylus tenuis* Dougherty) and native cervids in North America. *J. Wildlife Disease* **7**, 304-310.
- Andow, D.A., P. Kareiva, S.A. Levin, and A. Okubo. (1990). Spread of invading organisms. *Landscape Ecology* **4**, 177-188.
- Angelstam, P. (1986). Predation on ground-nesting birds' nests in relation to predator densities and habitat edge. *Oikos* **47**, 365-373.
- Apostol, T.M. (1975). *Mathematical Analysis*. Addison-Wesley, Reading, Massachusetts.
- Arditi, R. and A.A. Berryman. (1991). The biological control paradox. *Trends in Ecology and Evolution* **6**, 32.
- Armstrong, R.A. and R. McGehee. (1976a). Coexistence of two competitors on one resource. *J. Theor. Biol.* **56**, 499-502.
- Armstrong, R.A. and R. McGehee. (1976b). Coexistence of species competing for shared resources. *Theor. Pop. Biol.* **9**, 317-328.

- Armstrong, R.A. and R. McGehee. (1980). Competitive exclusion. *American Naturalist* **115**, 151-170.
- Aronson, D.G. and H.F. Weinberger. (1975). Nonlinear diffusion in population genetics, combustion, and nerve pulse propagation. In: *Partial Differential Equations and Related Topics*. Lecture Notes in Mathematics **446**, 5-49. Springer-Verlag, New York.
- Aronson, D.G. and H.F. Weinberger. (1978). Multidimensional nonlinear diffusions arising in population genetics. *Advances in Math.* **30**, 33-76.
- Avila-Vales, E.J. (1995). *Permanence in Seasonal Ecological Models with Spatial Heterogeneity*. Ph.D. Thesis, University of Miami.
- Avila-Vales, E.J. and R.S. Cantrell. (1995). Permanence in periodic-parabolic ecological systems with spatial heterogeneity. In R.P. Agarwal, ed. *Dynamical Systems and Applications*. Series in Applicable Analysis **4**, 63-76. World Scientific, Singapore.
- Avila-Vales, E.J. and R.S. Cantrell. (1997). Permanence of three competitors in seasonal ecological models with spatial heterogeneity. *Canadian Appl. Math. Quar.* **5**, 1-24.
- Ayala, F.J. (1969). Experimental invalidation of the principle of competitive exclusion. *Nature* **224**, 1076-1079.
- Ayala, F.J., M.E. Gilpin and J.G. Ehrenfeld. (1973). Competition between species: Theoretical models and experimental tests. *Theor. Pop. Biol.* **4**, 331-356.
- Bach, C.E. (1984). Plant spatial pattern and herbivore population dynamics: Plant factors affecting the movement patterns of a tropical cucurbit specialist, (*Acalymma Innubum*). *Ecology* **65**, 175-190.
- Bandle, C. (1980). *Isoperimetric Inequalities and Applications*. Monographs and Studies in Mathematics 7. Pitman, Boston.
- Beddington, J.R. (1975). Mutual interference between parasites or predators and its effect on searching efficiency. *J. Animal Ecology* **44**, 331-340.
- Belgacem, F. (1997). *Elliptic Boundary Value Problems with Indefinite Weights: Variational Formulations of the Principal Eigenvalue and Applications*. Pitman Research Notes in Mathematics **368**. Longman, Harlow, Essex, U.K.
- Belgacem, F. and C. Cosner. (1995). The effects of dispersal along environmental gradients on the dynamics of populations in heterogeneous environments. *Canadian Applied Math. Quarterly* **4**, 379-397.
- Belovsky, G.E. (1984). Moose and snowshoe hare competition and a mechanistic explanation from foraging theory. *Oecologia* **61**, 150-159.
- Berman, A. and J. Plemmons. (1979). *Nonnegative Matrices in the Mathematical Sciences*. Academic Press, New York.
- Berryman, A.A. (1992). The origins and evolution of predator-prey theory. *Ecology* **73**, 1530-1535.
- Berysticki, H. and P.-L. Lions. (1980). Some applications of the method of super and subsolutions, In C. Bardos, J.M. Lasry and M. Schatzman, eds. *Bifurcation and Nonlinear Eigenvalue Problems: Proceedings, Paris, October 2-4, 1978*. Lecture Notes in Mathematics **782**, 16-41, Springer-Verlag, New York.
- Beverton, R.J.H., and S.J. Holt. (1957). *On the Dynamics of Exploited Fish Populations*. Ministry of Agriculture, Fisheries and Food. Fishery Investigations Series II. **19**. London.
- Bhatia, N.P. and G.P. Szegö. (1970). *Stability Theory of Dynamical Systems*. Springer-Verlag, New York.
- Bilotti, J. and J.P. LaSalle. (1971). Periodic dissipative processes. *Bull. Amer. Math. Soc.* **6**, 1082-1089.
- Blat, J. and K.J. Brown. (1984). Bifurcation of steady-state solutions in predator-prey and competition systems. *Proc. Royal Soc. Edinburgh* **97A**, 21-34.
- Brand, L.A., and T.L. George. (2000). Predation risks for nesting birds in fragmented coast redwood forest. *J. Wildlife Management* **64**, 42-51.
- Brauer, F. and J. Nohel. (1969). *The Qualitative Theory of Ordinary Differential Equations*. W.A. Benjamin, Menlo Park, California.

- Brown, J.H. (1971). Mammals on mountaintops: Nonequilibrium insular biogeography. *American Naturalist* **105**, 467-478.
- Brown, K.J. and S.S. Lin. (1980). On the existence of positive eigenfunctions for an eigenvalue problem with indefinite weight function. *J. Math. Anal. Appl.* **75**, 112-120.
- Brown, P.N. (1980). Decay to uniform states in ecological interactions. *SIAM J. Appl. Math.* **38**, 22-37.
- Burton, T.A. and V. Hutson. (1991). Permanence for non-autonomous predator-prey systems. *Diff. Int. Equations* **4**, 1269-1280.
- Butler, G.J., H.I. Freedman and P. Waltman. (1986). Uniformly persistent systems. *Proc. Amer. Math. Soc.* **96**, 425-430.
- Butler, G.J., R. Schmid and P. Waltman. (1990). Limiting the complexity of limit sets in self-regulating systems. *J. Math. Anal. Appl.* **47**, 63-68.
- Butler, G.J. and G.S.K. Wolkowicz. (1987). Predator-mediated coexistence in a chemostat: coexistence and competition reversal. *Math. Modelling* **8**, 781-785.
- Cantrell, R.S. and C. Cosner. (1987). On the steady-state problem for the Volterra-Lotka competition model with diffusion. *Houston J. Math.* **13**, 337-352.
- Cantrell, R.S. and C. Cosner. (1989a). Diffusive logistic equations with indefinite weights: Population models in disrupted environments. *Proc. Royal Soc. Edinburgh* **112A**, 293-318.
- Cantrell, R.S. and C. Cosner. (1989b). On the uniqueness and stability of positive solutions in the Lotka-Volterra competition model with diffusion. *Houston J. Math.* **15**, 341-361.
- Cantrell, R.S. and C. Cosner. (1991a). Diffusive logistic equations with indefinite weights: Population models in disrupted environments II. *SIAM J. Math. Anal.* **22**, 1043-1064.
- Cantrell, R.S. and C. Cosner. (1991b). The effects of spatial heterogeneity in population dynamics. *J. Math. Biol.* **29**, 315-338.
- Cantrell, R.S. and C. Cosner. (1993). Should a park be an island? *SIAM J. Appl. Math.* **53**, 219-252.
- Cantrell, R.S. and C. Cosner. (1994). Insular biogeographic theory and diffusion models in population dynamics. *Theor. Pop. Biol.* **45**, 177-202.
- Cantrell, R.S. and C. Cosner. (1996a). Models for predator-prey systems at multiple scales. *SIAM Review* **38**, 256-286.
- Cantrell, R.S. and C. Cosner. (1996b). Practical persistence in ecological models via comparison methods. *Proc. Royal Soc. Edinburgh* **126A**, 247-272.
- Cantrell, R.S. and C. Cosner. (1997). Bounds on trajectories in diffusive predator-prey models. In *Proceedings of the 4th International Conference on Mathematical Population Dynamics. Advances in Mathematical Population Dynamics: Molecules, Cells and Man*, 733-746. World Scientific Publishing, Singapore.
- Cantrell, R.S. and C. Cosner (1998). On the effects of spatial heterogeneity on the persistence of interacting species. *J. Math. Biol.* **37**, 103-145.
- Cantrell, R.S. and C. Cosner. (1999). Diffusion models for population dynamics incorporating individual behavior at boundaries: Applications to refuge design. *Theor. Pop. Biol.* **55**, 189-207.
- Cantrell, R.S. and C. Cosner. (2000). Upper and lower solutions for a homogeneous Dirichlet problem with nonlinear diffusion and the principle of linearized stability. *Rocky Mth. J. Math.* **30**, 1229-1236.
- Cantrell, R.S. and C. Cosner. (2001a). Effects of domain size on the persistence of populations in a diffusive food chain model with DeAngelis-Beddington functional response. *Natural Resource Modeling* **14**, 335-367.
- Cantrell, R.S. and C. Cosner (2001b). On the dynamics of predator-prey models with the Beddington-DeAngelis functional response. *J. Math. Anal. Appl.* **257**, 206-222.
- Cantrell, R.S. and C. Cosner (2001c). Spatial heterogeneity and critical patch size: Area effects via diffusion in closed environments. *J. Theor. Biol.* **209**, 161-171.
- Cantrell, R.S. and C. Cosner. (2002a). Conditional persistence in logistic models via nonlinear diffusion. *Proc. Royal Soc. Edinburgh* **132A**, 267-281.

- Cantrell, R.S. and C. Cosner. (2002b). Deriving reaction-diffusion models in ecology from interacting particle systems. Preprint.
- Cantrell, R.S. and C. Cosner. (2002c). Effects of aggregative movement on population dynamics and critical patch size. Preprint.
- Cantrell, R.S., C. Cosner, and W.F. Fagan. (1998). Competitive reversals inside ecological reserves: the role of external habitat degradation. *J. Math. Biol.* **37**, 491-533.
- Cantrell, R.S., C. Cosner and W.F. Fagan. (2001). Brucellosis, botflies and brainworms: The impact of edge habitats on pathogen transmission and species extinction. *J. Math. Biol.* **42**, 95-119.
- Cantrell, R.S., C. Cosner, and W. Fagan. (2002). Habitat edges and predator-prey interactions: Effects on critical patch size. *Math. Biosci.* **175**, 31-55.
- Cantrell, R.S., C. Cosner and V. Hutson. (1993a). Permanence in ecological systems with diffusion. *Proc. Royal Soc. Edinburgh* **123A**, 533-559.
- Cantrell, R.S., C. Cosner and V. Hutson. (1993b). Permanence in some diffusive Lotka-Volterra models for three interacting species. *Dynamic Syst. Appl.* **2**, 505-530.
- Cantrell, R.S., C. Cosner and V. Hutson. (1996). Ecological models, permanence and spatial heterogeneity. *Rocky Mth. J. Math.* **26**, 1-35.
- Cantrell, R.S., C. Cosner and Y. Lou. (2002). Preprint.
- Cantrell, R.S. and J.R. Ward, Jr. (1997). On competition mediated coexistence. *SIAM J. Appl. Math.* **57**, 1311-1327.
- Cao, Y. and T.C. Gard. (1993). Uniform persistence for population models with time delay using multiple Lyapunov functions. *Diff. Int. Equations* **6**, 883-898.
- Cao, Y., J. Fan and T.C. Gard. (1996). Persistence in Kolmogorov population models with time delay. In V. Lakshmikantham, ed. *Proceedings of the First World Congress of Nonlinear Analysts*, 3741-3751. Walter de Gruyter, Berlin.
- Caristi, G., K.P. Rybakowski and T. Wessolek. (1992). Persistence and spatial patterns in a one predator-two prey Lotka-Volterra model with diffusion. *Annali di Mat. Pur. Appl.* **46**, 345-377.
- Castro, A. and A.C. Lazer. (1982). Results on periodic solutions of parabolic equations suggested by elliptic theory. *Bollettino Della Unione Matematica Italiana Section B, Series 6* **1**, 1089-1104.
- Caswell, H. (1989). *Matrix Population Models: Construction, Analysis, Interpretation*. Sinauer, Sunderland, Massachusetts.
- Chang, K.W. and F. Howes. (1984). *Nonlinear Singular Perturbation Phenomena: Theory and Applications*. Applied Mathematical Sciences **56**. Springer-Verlag, New York.
- Chesson, P. (1997). Making sense of spatial models in ecology. In J. Bascompte and R. Solé, eds. *Modelling Spatiotemporal Dynamics in Ecology*, 155-166. Landes Bioscience, Georgetown, Texas.
- Cohen, J.E. (1989). Food webs and community structure. In J. Roughgarden, R.M. May and S.A. Levin, eds. *Perspective in Ecological Theory*, 181-202. Princeton University Press, Princeton, New Jersey.
- Comins, H.N., M.P. Hassell, and R. May. (1992). The spatial dynamics of host-parasitoid systems. *J. Animal Ecology* **61**, 735-748.
- Connell, J.H. (1961a). Effect of competition, predation by *Thaislapillus* and other factors on natural populations of the barnacle *Balanus balanoides*. *Ecol. Monogr.* **31**, 61-104.
- Connell, J.H. (1961b). The influence of interspecific competition and other factors on the distribution of the barnacle *Chthamalus stellatus*. *Ecology* **42**, 710-723.
- Cosner, C. (1994). Persistence (permanence), compressivity, and practical persistence in some reaction-diffusion models from ecology. In X. Liu and D. Siegel eds. *Comparison Methods and Stability Theory*, 101-115. Marcel Dekker, New York.
- Cosner, C. (1996). Variability, vagueness, and comparison methods for ecological models. *Bull. Math. Biol.* **58**, 207-246.
- Cosner, C. (1997). Comparison principles for systems that embed in cooperative systems, with

- applications to Lotka-Volterra models. *Dynamics of Discrete, Continuous, and Impulsive Systems* **3**, 283-303.
- Cosner, C., D.L. DeAngelis, J.S. Ault and D.B. Olson. (1999). Effects of spatial grouping on the functional response of predators. *Theor. Pop. Biol.* **56**, 65-75.
- Cosner, C. and A.C. Lazer. (1984). Stable coexistence in the Volterra-Lotka competition model with diffusion. *SIAM J. Appl. Math.* **44**, 1112-1132.
- Courant, R. and D. Hilbert. (1953). *Methods of Mathematical Physics, Vol. I*. Interscience, New York.
- Crandall, M.G. and P.H. Rabinowitz (1971). Bifurcation from simple eigenvalues. *J. Functional Analysis* **8**, 321-340.
- Crandall, M.G. and P.H. Rabinowitz (1973). Bifurcation, perturbation of simple eigenvalues, and linearized stability. *Arch. Rat. Mech. Anal.* **52**, 161-180.
- Cui, G. and H. Freedman. (1999). A model for the diffusion of populations in annular patchy environments, *Quarterly Appl. Math.* **57**, 339-354.
- Dancer, E.N. (1984). On positive solutions of some pairs of differential equations. *Trans. Amer. Math. Soc.* **284**, 729-743.
- Dancer, E.N. (1985). On positive solutions of some pairs of differential equations II. *J. Diff. Equations* **60**, 236-258.
- Dancer, E.N. (1988). The effect of domain shape on the number of positive solutions of certain nonlinear equations. *J. Diff. Equations* **74**, 120-156.
- Dancer, E.N. (1991). On the existence and uniqueness of positive solutions for competing species models with diffusion. *Trans. Amer. Math. Soc.* **326**, 829-859.
- Davies, K.F., C.R. Margules and K.F. Lawrence. (2000). Which traits of species predict population declines in experimental forest fragments? *Ecology* **81**, 1450-1461.
- DeAngelis, D.L., R.A. Goldstein and R.V. O'Neill. (1975). A model for trophic interaction. *Ecology* **56**, 881-892.
- DeAngelis, D.L. and L.J. Gross. (1992). *Individual-Based Models and Approaches in Ecology: Populations, Communities and Ecosystems*. Chapman and Hall, New York.
- DeAngelis, D.L., K.A. Rose, and M.A. Huston. (1994). Individual-oriented approaches to modeling ecological populations and communities. In S.A. Levin, ed. *Frontiers in Mathematical Biology*. Lecture Notes in Biomathematics **100**. Springer-Verlag, New York.
- de Figueiredo, D.G. (1982). Positive solutions of semilinear elliptic problems. In D.G. deFigueiredo, ed. *Differential Equations*. Lecture Notes in Mathematics, **957**. Springer-Verlag, Berlin.
- Deimling, K. (1985). *Nonlinear Functional Analysis*. Springer-Verlag, New York.
- DeMasi, A. and E. Presutti. (1991). *Mathematical Methods for Hydrodynamic Limits*. Springer-Verlag, New York.
- DeSanti, A.J. (1986). Boundary and interior layer behavior of solutions of some singularly perturbed semilinear elliptic boundary value problems. *J. Mathes. Pures Appl.* **65**, 227-262.
- DiGiorgi, E. (1957). Sulla differenziabilità e l'analiticità della estremali degli integrali multipli regolari. *Mem. Accad. Sci. Torino Cl. Sci. Fis. Mat. Natur.* **3**, 25-43.
- Dunbar, S.R., K.P. Rybakowski and K. Schmitt. (1986). Persistence in models of predator-prey populations with diffusion. *J. Diff. Equations* **65**, 117-138.
- Durrett, R. and S.A. Levin. (1994). The importance of being discrete (and spatial). *Theor. Pop. Biol.* **46**, 363-394.
- Durrett, R. and S.A. Levin. (1996). Spatial models for species area curves. *J. Theor. Biol.* **179**, 119-127.
- Dwass, M. (1970). *Probability and Statistics*. W.A. Benjamin, Menlo Park, California.
- Eilbeck, J.C., J.E. Furter, and J. Lopez-Gomez. (1994). Coexistence in the competition model with diffusion. *J. Diff. Equations* **107**, 96-139.
- Ellner, S.P., A. Sasaki, Y. Haraguchi, and H. Matsuda (1998). Speed of invasion in lattice population models: Pair-edge approximation. *J. Math. Biol.* **36**, 469-484.
- Elton, C. (1933). *The Ecology of Animals*. (Reprinted 1966 by Science Paperbacks and

- Methuen, London.)
- Enright, J.T. (1976). Climate and population regulation: The biogeographer's dilemma. *Oecologia* **24**, 295-310.
- Fagan, W.F., R.S. Cantrell and C. Cosner. (1999). How habitat edges change species interactions. *American Naturalist* **153**, 165-182.
- Fife, P. (1979). *Mathematical Aspects of Reacting and Diffusing Systems*. Lecture Notes in Biomathematics **28**. Springer-Verlag, New York.
- Fisher, R.A. (1937). The wave of advance of advantageous genes. *Annals of Eugenics* **7**, 355-369.
- Fitzgibbon, W.E., J.J. Morgan, and R. Sanders. (1992). Global existence and boundedness for a class of inhomogeneous semilinear parabolic systems. *Nonlinear Analysis TMA* **19**, 885-899.
- Fleming, W.H. (1975). A selection-migration model in population genetics. *J. Math. Biol.* **2**, 219-233.
- Flierl, G., D. Grünbaum, S. Levin, and D. Olson. (1999). From individuals to aggregations: the interplay between behavior and physics. *J. Theor. Biol.* **196**, 397-454.
- Freedman, H.I. (1980). *Deterministic Mathematical Models in Population Ecology*. Marcel Dekker, New York.
- Freedman, H. and T. Kriztin. (1992). Global stability in models of population dynamics with diffusion I. Patchy environments. *Proc. Royal Soc. Edinburgh* **122A**, 69-84.
- Freedman, H., J.B. Shukla, and Y. Takeuchi. (1989). Population diffusion in a two-patch environment. *Math. Biosci.* **95**, 111-123.
- Freedman, H.I. and P. Moson. (1990). Persistence definitions and their connections. *Proc. Amer. Math. Soc.* **109**, 1025-1033.
- Freedman, H.I. and P. Waltman. (1977). Mathematical analysis of some three-species food-chain models. *Math. Biosci.* **33**, 257-276.
- Freedman, H.I. and P. Waltman. (1984). Persistence in three interacting predator-prey populations. *Math. Biosci.* **68**, 213-231.
- Fretwell, S.D. (1972). *Populations in a Seasonal Environment*. Princeton University Press, Princeton, New Jersey.
- Fretwell, S.D. and H.L. Lucas Jr. (1970). On territorial behavior and other factors influencing habitat distribution in birds. I. Theoretical development. *Acta Biotheoretica* **19**, 16-36.
- Friedman, A. (1964). *Partial Differential Equations of Parabolic Type*. Prentice Hall, Englewood Cliffs, New Jersey.
- Friedman, A. (1976). *Partial Differential Equations*. Krieger, New York.
- Furter, J.E. and J. Lopez-Gomez. (1995). On the existence and uniqueness of coexistence states for the Lotka-Volterra competition model with diffusion and spatially dependent coefficients. *Nonlinear Anal.* **25**, 363-398.
- Furter, J.E. and J. Lopez-Gomez. (1997). Diffusion-mediated permanence problem for a heterogeneous Lotka-Volterra competition model. *Proc. Royal Soc. Edinburgh* **127A**, 281-336.
- Gard, T. (1997). Practical persistence in stochastic population models. In S. Ruan, G.S.K. Wolkowicz and J. Wu, eds. *Differential Equations with Applications to Biology*. Fields Institute Communications **21**, 205-215. American Mathematical Society, Providence, R.I.
- Gardiner, C.W. (1985). *Handbook of Stochastic Methods* (2nd edition). Springer-Verlag, New York.
- Gates, J.E. and L.W. Gysel. (1972). Avian nest dispersion and fledgling success in field-forest ecotones. *Ecology* **59**, 871-883.
- Gause, G.F. (1935). *The Struggle for Existence*. Williams and Wilkins, Baltimore, Md.
- Getz, W.M. (1994). A metaphysiological approach to modeling populations and communities. In S.A. Levin, ed., *Frontiers in Mathematical Biology*. Lecture Notes in Biomathematics **100**, 411-442. Springer-Verlag, New York.
- Gilbarg, D. and N.S. Trudinger. (1977). *Elliptic Partial Differential Equations of Second*

- Order*. Springer-Verlag, New York.
- Gilpin, M.E. and K.E. Justice. (1972). Reinterpretation of the invalidation of the principle of competitive exclusion. *Nature* **236**, 273-274.
- Gilpin, M.E. and M.E. Soulé. (1986). Minimal viable populations: Processes of species extinction. In M.E. Soulé, ed. *Conservation Biology: The Science of Scarcity and Diversity*, 19-34, Sinauer, Sunderland, Massachusetts.
- Ginzburg, L.R. (1998). Assuming reproduction to be a function of consumption raises doubts about some popular predator-prey models. *J. Animal Ecology* **67**, 325-327.
- Gleason, H. (1926). The individualistic concept of the plant association. *Bull. Torrey Bot. Club.* **53**, 1-20.
- Glendinning, P. (1994). Island chain models and gradient systems. *J. Math. Biol.* **32**, 171-178.
- Goh, B.S. (1976). Global stability in two species interactions. *J. Math. Biol.* **3**, 313-318.
- Goldwasser, L., J. Cook, and E.D. Silverman. (1994). The effects of variability on metapopulation dynamics and rates of invasion. *Ecology* **75**, 40-47.
- Goszczyński, J. (1979a). Density estimation for an urban population of the field mouse. *Acta Theriologica* **24**, 411-414.
- Goszczyński, J. (1979b). Penetration of mammals over urban green spaces in Warsaw. *Acta Theriologica* **24**, 419-423.
- Grindrod, P. (1996). *The Theory and Applications of Reaction-Diffusion Equations: Patterns and Waves*, 2nd ed. Oxford University Press, New York.
- Groom, M.J. and N. Schumaker. (1990). Evaluating landscape change: Patterns of worldwide deforestation and local fragmentation. In P. Kareiva, J.G. Kingsolver, and R.B. Huey, eds. *Biotic Interactions and Global Change*, 24-44. Sinauer, Sunderland, Massachusetts.
- Grünbaum, D. (1994). Translating stochastic density-dependent individual behavior with sensory constraints into an Eulerian model of animal swimming. *J. Math. Biol.* **33**, 139-161.
- Grünbaum, D. (1999). Advection-diffusion equations for generalized tactic searching behaviors. *J. Math. Biol.* **38**, 169-194.
- Gui, C. and Y. Lou. (1994). Uniqueness and nonuniqueness of coexistence states in the Lotka-Volterra competition model. *Comm. Pure. Appl. Math.* **47**, 1571-1594.
- Hale, J.K. and H. Kocak. (1991). *Dynamics and Bifurcations*. Springer-Verlag, New York.
- Hale, J.K. and P. Waltman. (1989). Persistence in infinite dimensional systems. *SIAM J. Math. Anal.* **29**, 388-395.
- Hanski, I. (1997). Predictive and practical metapopulation models: The incidence function approach. In D. Tilman and P. Kareiva, eds. *Spatial Ecology*, 21-45. Princeton University Press, Princeton, New Jersey.
- Hanski, I. (1999). *Metapopulation Ecology*. Oxford University Press, Oxford, UK.
- Hanski, I. and O. Ovaskainen (2000). The metapopulation capacity of a fragmented landscape. *Nature* **404**, 755-758.
- Hanski, I. and O. Ovaskainen (2001). Spatially structured metapopulation models: Global and local assessment of metapopulation capacity. *Theor. Pop. Biol.* **60**, 281-302.
- Hardin, D.P., P. Takac, and G.F. Webb. (1988a). Asymptotic properties of a continuous-space discrete-time population model in a random environment. *J. Math. Biol.* **26**, 361-374.
- Hardin, D.P., P. Takac, and G.F. Webb. (1988b). A comparison of dispersal strategies for survival of spatially heterogeneous populations. *SIAM J. Appl. Math* **48**, 1396-1423.
- Hardin, D.P., P. Takac, and G.F. Webb. (1990). Dispersion population models discrete in time and continuous in space. *J. Math. Biol.* **28**, 1-20.
- Harrison, J.M. and L.A. Shepp (1981). On skew Brownian motion. *Ann. Probability* **9**, 309-313.
- Hassell, M.P., H.N. Comins, and R.M. May. (1994). Spatial structure and chaos in insect populations. *Nature* **353**, 255-258.
- Hastings, A. and T. Powell. (1991). Chaos in a three species food chain. *Ecology* **72**, 896-903.
- Henry, D. (1981), *Geometric Theory of Semilinear Parabolic Equations*. Lecture Notes in

- Math. **840**. Springer-Verlag, New York.
- Hess, P. (1977). On uniqueness of positive solutions of nonlinear elliptic boundary value problems. *Math. Zeitschrift* **154**, 17-18.
- Hess, P. (1991). *Periodic-Parabolic Boundary Value Problems and Positivity*. Pitman Research Notes in Mathematics **247**. Longman, Scientific and Technical, Harlow, Essex, U.K.
- Hess, P. and Kato, T. (1980). On some linear and nonlinear eigenvalue problems with an indefinite weight function. *Comm. in Partial Differential Equations* **5**, 999-1030.
- Hess, P. and A.C. Lazer. (1991). On an abstract competition model and applications. *Nonlinear Anal.* **16**, 917-940.
- Hetzer, G. and W. Shen. (2002). Uniform persistence, coexistence, and extinction in almost periodic competition diffusion systems. Preprint.
- Hirsch, M. (1982). Systems of differential equations which are competitive or cooperative I: Limit sets. *SIAM J. Appl. Math.* **13**, 167-179.
- Hirsch, M. (1985). Systems of differential equations which are competitive or cooperative II: Convergence almost everywhere. *SIAM J. Math. Anal.* **16**, 423-439.
- Hirsch, M. (1988a). Systems of differential equations which are competitive or cooperative III: Competing species. *Nonlinearity* **1**, 51-71.
- Hirsch, M. (1988b). Stability and convergence in strongly monotone dynamical systems. *J. Reine. Angew. Math.* **383**, 1-53.
- Hirsch, M. (1989). Systems of differential equations which are competitive or cooperative V: Convergence in 3-dimensional systems. *J. Diff. Equations* **80**, 94-106.
- Hirsch, M. (1990). Systems of differential equations which are competitive or cooperative IV: Structural stability in three dimensional systems. *SIAM J. Math. Anal.* **21**, 1225-1234.
- Hirsch, M. (1991). Systems of differential equations which are competitive or cooperative, VI: A local  $C^r$  closing lemma for 3-dimensional systems. *Ergod. Th. Dynamical Sys.* **11**, 443-454.
- Hirsch, M.W. and S. Smale. (1974). *Differential Equations, Dynamical Systems, and Linear Algebra*. Academic Press, New York.
- Hofbauer, J. (1981). A general cooperation theorem for hypercycles. *Monatsh. Math.* **91**, 233-240.
- Hofbauer, J. and K. Sigmund. (1988). *Dynamical Systems and the Theory of Evolution*. Cambridge University Press, Cambridge, U.K.
- Hofbauer, J. and K. Sigmund. (1998). *Evolutionary Games and Population Dynamics*. Cambridge University Press, Cambridge, U.K.
- Holland, C.J. (1977). A new energy characterization of the smallest eigenvalue of the Schrodinger equation. *Comm. Pure and Applied Math.* **30**, 755-765.
- Holland, C.J. (1978). A minimum principle for the principal eigenvalue for second order linear elliptic equations with natural boundary conditions. *Comm. Pure and Applied Math.* **31**, 509-519.
- Holling, C.S. (1959). Some characteristics of simple types of predation and parasitism, *Canadian Entomologist* **91**, 385-398.
- Holling, C.S. (1973). Resilience and stability of ecological systems. *Ann. Rev. Ecol. Syst.* **4**, 1-23.
- Hollis, S.L. and J.J. Morgan. (1991). Global existence and asymptotic decay for systems of convective reaction-diffusion equations. *Nonlinear Analysis TMA* **17**, 725-739.
- Holmes, E.E. (1993). Are diffusion models too simple? A comparison with telegraph models of invasion. *American Naturalist* **142**, 779-795.
- Holmes, E.E., M.A. Lewis, J.E. Banks, and R.R. Veit. (1994). Partial differential equations in ecology: Spatial interactions and population dynamics. *Ecology* **75**, 17-29.
- Holmes, J.C. (1996). Parasites as threats to biodiversity in shrinking ecosystems. *Biodiversity and Conservation* **5**, 975-983.
- Holt, R.D. (1992). A neglected facet of island biogeography: The role of internal spatial

- dynamics in area affects. *Theor. Pop. Biol.* **41**, 354-371.
- Holt, R.D. and J.H. Lawton. (1993). Apparent competition and enemy-free space in insect host-parasitoid communities. *American Naturalist* **142**, 623-645.
- Holt, R.D. and J.H. Lawton. (1994). The ecological consequences of shared natural enemies. *Ann. Rev. Ecol. Syst.* **25**, 495-520.
- Horn, H.S., H.H. Shugart and D.L. Urban. (1989). Simulators as models of forest dynamics. In J. Roughgarden, R.M. May and S.A. Levin, eds. *Perspectives in Ecological Theory*, 256-267. Princeton University Press, Princeton, N.J.
- Hsu, S.B. (1981). Predator-mediated coexistence and extinction. *Math. Biosc.* **54**, 231-248.
- Huffaker, C.B. (1958). Experimental studies on predation: Dispersion factors and predator-prey oscillations. *Hilgardia* **27**, 343-383.
- Hutchinson, G.E. (1959). Homage to Santa Rosalia, or why are there so many kind or animals? *American Naturalist* **93**, 145-159.
- Hutchinson, G.E. (1961). The paradox of the plankton. *American Naturalist* **95**, 137-145.
- Hutson, V. (1984). A theorem on average Liapunov functions. *Monatsh. Math.* **98**, 267-275.
- Hutson, V. and K. Mischaikow. (1998). An approach to practical persistence. *J. Math. Biol.* **37**, 447-466.
- Hutson, V., K. Mischaikow and P. Poláčik. (2001). The evolution of dispersal rates in a heterogeneous time-periodic environment. *J. Math. Biol.* **43**, 501-533.
- Hutson, V. and K. Schmitt. (1992). Permanence and the dynamics of biological systems. *Math. Biosc.* **111**, 1-71.
- Hutson, V., W. Shen and G.T. Vickers. (2000). Estimates for the principal spectrum point for certain time-dependent parabolic operators. *Proc. Amer. Math. Soc.* **129**, 1669-1679.
- Hutson, V. and X.Q. Zhao. (1994). Permanence in Kolmogorov periodic predator-prey models with diffusion. *Nonlinear Anal.* **23**, 651-668.
- Ikeda, T. and M. Mimura. (1993). An interfacial approach to regional segregation of two competing species mediated by a predator. *J. Math. Biol.* **31**, 215-240.
- Janzen, D.H. (1983). No park is an island: Increase in interference from outside as park size decreases. *Oikos* **41**, 402-410.
- Janzen, D.H. (1986). The eternal external threat. In M.E. Soulé, ed. *Conservation Biology: The Science of Scarcity and Diversity*, 286-303. Sinauer, Sunderland, Mass.
- Janzen, V.A.A. and K. Sigmund. (1998). Shaken not stirred: On permanence in ecological communities. *Theor. Pop. Biol.* **54** (1998), 195-201.
- Jensen, A.L. (1987). Simple models for exploitative and interference competition. *Ecological Modelling* **35**, 113-121.
- John, F. (1982). *Partial Differential Equations*, 4th. ed. Springer-Verlag, New York.
- Kareiva, P.M. (1985). Finding and losing host plants by Phyllotreta: Patch size and surrounding habitat. *Ecology* **66**, 1809-1816.
- Kareiva, P.M. (1989). Renewing the dialogue between theory and experiments in population ecology. In J. Roughgarden, R.M. May and S.A. Levin, eds. *Perspectives in Ecology Theory*, 68-88. Princeton University Press, Princeton, New Jersey.
- Kareiva, P.M. and G. Odell. (1987). Swarms of predators exhibit "prey taxis" if individual predators use area-restricted search. *American Naturalist* **130**, 233-270.
- Kareiva, P.M., J.G. Kingsolver, and R.B. Huey, eds. (1993). *Biotic Interactions and Global Change*. Sinauer, Sunderland, Massachusetts.
- Kato, T. (1966). *Perturbation Theory for Linear Operators*. Springer, New York.
- Kawasaki, K. and N. Shigesada. (1997). *Biological Invasions*. Oxford University Press, New York.
- Kevorkian, J. and J.D. Cole. (1996). *Multiple Scale and Singular Perturbation Methods*. Applied Mathematical Sciences **114**. Springer-Verlag, New York.
- Kierstead, H. and L.B. Slobodkin. (1953). The size of water masses containing plankton bloom. *J. Marine Research* **12**, 141-147.
- Kipnis, C. and C. Landin. (1999). *Scaling Limits of Interacting Particle Systems*. Springer-

- Verlag, New York.
- Kishimoto, K. (1981). Instability of non-constant equilibrium solutions of a system of competition-diffusion equations. *J. Math. Biol.* **13**, 105-114.
- Kishimoto, K. and H.F. Weinberger. (1985). The spatial homogeneity of stable equilibrium of some reaction-diffusion systems on convex domains. *J. Diff. Equations* **58**, 15-21.
- Klebanoff, A. and A. Hastings. (1994a). Chaos in one predator, two-prey models: General results from bifurcation theory. *Math. Biosci.* **122**, 221-233.
- Klebanoff, A. and A. Hastings (1994b). Chaos in three species food chains. *J. Math. Biol.* **32**, 427-451.
- Klein, B.C. (1989). Effects of forest fragmentation on dung and carrion beetle communities in central Amazonia. *Ecology* **70**, 1715-1725.
- Korman, P. and A. Leung. (1986). A general monotone scheme for elliptic systems with applications to ecological models. *Proc. Royal Soc. Edinburgh* **102A**, 315-325.
- Krasnosel'skii, M.A. (1964). *Positive Solutions of Operator Equations*. Noordhoff, Groningen, The Netherlands.
- Kriztin, T. and H. Freedman. (1993). Global stability in models of population dynamics with diffusion II. Continuously varying environments. *Rocky Mountain J. Math.* **24**, 155-163.
- Kshatriya, M. and C. Cosner. (2002). A continuum formulation of the ideal free distribution and its implications for population dynamics. *Theor. Pop. Biol.* **61**, 277-284.
- Kuang, Y. and E. Beretta. (1998). Global qualitative analysis of a ratio-dependent predator-prey system. *J. Math. Biol.* **36**, 1172-1189.
- Ladyzhenskaya, O., V. Solonikov, and N. Ural'ceva. (1968). *Linear and Quasilinear Equations of Parabolic Type*, American Math. Soc., Providence, RI.
- Landsberg, J. (1988). Dieback of rural eucalypts: Tree phenology and damage caused by leaf-feeding insects. *Australian J. Ecol.* **13**, 251-267.
- Law, R. and R.D. Morton. (1996). Permanence and the assembly of ecological communities. *Ecology* **77**, 762-775.
- Lazer, A.C. (1982). Some remarks on periodic solutions of parabolic differential equations, In A. Bednarek and L. Cesari, eds. *Dynamical Systems II*, 227-246. Academic Press, New York.
- Lehman, C.L. and D. Tilman. (1997). Competition in spatial habitats. In D. Tilman and P. Kareiva, eds. *Spatial Ecology*, 185-203. Princeton University Press, Princeton, N.J.
- Leslie, P.H. (1948). Some further notes on the uses of matrices in population mathematics. *Biometrika* **35**, 213-245.
- Leung, A. (1980). Equilibria and stabilities for competing species, reaction-diffusion equations with Dirichlet boundary data. *J. Math. Anal. Appl.* **73**, 204-218.
- Leung, A.W. (1989). *Systems of Nonlinear Partial Differential Equations*. Kluwer Academic Publishers, Boston.
- Levin, S.A. ed. (1994). *Frontiers in Mathematical Biology*. Lecture Notes in Biomathematics **100**. Springer-Verlag, New York.
- Levins, R. (1968). *Evolution in Changing Environments*. Princeton University Press, Princeton, N.J.
- Levins, R. (1969). Some demographic and genetic consequences of environmental heterogeneity for biological control. *Bull. Entomological Soc. of America* **15**, 237-240.
- Lewis, M.A. (1997). Variability, patchiness, and jump dispersal in the spread of an invading population In D. Tilman and P. Kareiva, eds. *Spatial Ecology*, 46-69. Princeton University Press, Princeton, N.J.
- Lewis, M.A. and P. Kareiva. (1993). Allee dynamics and the spread of living organisms. *Theor. Pop. Biol.* **43**, 141-158.
- Liang, X.T., Z.D. Wu, and X.X. Liang. (1983). The weak maximum principle and uniqueness theorem for generalized solutions of uniformly parabolic equations. *J. Math. Research and Exposition* **3**, 67-71.
- Liggett, T.M. (1985). *Interacting Particle Systems*. Springer-Verlag, New York.

- Lions, P.-L. (1982). On the existence of positive solutions to semilinear elliptic equations. *SIAM Review* **24**, 441-467.
- Lopez-Gomez, J. (1997). Strong competition with refuges. *Nonlinear Anal.* **30**, 5167-5178.
- Lotka, A. (1925). *Elements of Physical Biology*. Williams and Wilkins, Baltimore. (Re-printed 1956 by Dover Press, New York.)
- Lovejoy, T.E., A.O. Bierregaard, Jr., A.B. Rylands, J.R. Malcolm, C.E. Quintela, L.H. Harper, K.S. Brown, Jr., A.A. Powel, G.V. Powell, H.O.R. Schubart, and M.B. Hays (1986). Edge and other effects of isolation on Amazon forest fragments. In M.E. Soulé, ed. *Conservation Biology: The Science of Scarcity and Diversity*, 257-285, Sinauer, Sunderland, Massachusetts.
- Loye, J. and Carroll. (1995). Birds, bugs and blood: Avian parasitism and conservation. *Trends Ecol. Evol.* **10**, 232-235.
- Ludwig, D., D.G. Aronson and H.F. Weinberger. (1979). Spatial patterning of the spruce budworm. *J. Math. Biol.* **8**, 217-258.
- Ludwig, D., D.D. Jones, and C.S. Holling (1978). Qualitative analysis of insect outbreak systems: The spruce budworm and the forest. *J. Animal Ecol.* **47**, 315-332.
- Lui, R. (1982). Existence and stability of traveling wave solutions of a nonlinear integral operator. *J. Math. Biol.* **16**, 199-220.
- MacArthur, R.H. (1972). *Geographical Ecology*. Harper and Row, New York. (Re-printed 1984 by Princeton University Press, Princeton, N.J.)
- MacArthur, R.H. and R. Levins. (1964). Competition, habitat selection, and character displacement in a patchy environment. *Proc. Nat. Acad. Sci. U.S.A.* **51**, 1207-1210.
- MacArthur, R.H. and E.O. Wilson (1967). *The Theory of Island Biogeography*. Princeton University Press, Princeton, New Jersey.
- Malthus, T.R. (1798). An essay on the principle of population. (Reprinted in *The World of Mathematics*, v. 2, James R. Neuman, Simon and Schuster, New York, 1956.)
- Manes, A. and A.M. Micheletti. (1973). Un' estensione della teoria variazionale classica degli autovalori per operatori ellittici del secondo ordine. *Boll. Un. Mat. Ital.* **7**, 285-301.
- Mangel, M. and C. Tier. (1993). A simple direct method for finding persistence times of populations and applications to conservation problems. *Proc. Natl. Acad. Sci. U.S.A.* **90**, 1083-1086.
- Matano, H. and M. Mimura. (1983). Pattern formation in competition-diffusion systems in non convex domains. *Publ. RIMS, Kyoto Univ.* **19**, 1049-1079.
- May, R.M. and W.J. Leonard. (1975). Nonlinear aspects of competition between three species. *SIAM J. Appl. Math* **29**, 243-253.
- Maynard Smith, J. (1982). *Evolution and the Theory of Games*. Cambridge University Press, Cambridge, U.K.
- McCann, K. and P. Yodzis. (1994). Biological conditions for chaos in a three-species food chain. *Ecology* **75**, 561-564.
- McGehee, R. and R.A. Armstrong. (1977). Some mathematical problems concerning the ecological principle of competitive exclusion. *J. Diff. Equations* **23**, 30-52.
- McKelvey, K., B.R. Noon, and R.H. Lamberson. (1993). Conservation planning for species occupying fragmented landscapes: The case of the Northern Spotted Owl. In P.M. Kareiva, J.G. Kingsolver and R.B. Huey, eds. *Biotic Interactions and Global Change*, 424-450. Sinauer, Sunderland, Massachusetts.
- Mikhailov, V.P. (1978). *Partial Differential Equations*. Mir, Moscow.
- Miller, R.K. (1965). Almost periodic differential equations as dynamical systems with applications to the existence of almost periodic solutions. *J. Diff. Equation* **1**, 337-345.
- Mimura, M., S.-I. Ei and Q. Fang. (1991). Effect of domain-shape on coexistence problems in a competition-diffusion system. *J. Math. Biol.* **29**, 219-237.
- Molofsky, J. (1994). Population dynamics and pattern formation in theoretical populations. *Ecology* **75**, 30-39.
- Mora, X. (1983). Semilinear parabolic problems define semiflows on  $C^k$  spaces. *Trans. Amer.*

- Math. Soc.* **278**, 21-55.
- Morgan, J.J. (1990). Boundedness and decay results for reaction-diffusion systems. *SIAM J. Math. Anal.* **21**, 1172-1189.
- Moser, J. (1960). A new proof of DeGiorgi's theorem concerning the regularity problem for elliptic differential equations. *Comm. Pure Appl. Math.* **13**, 457-468.
- Murray, J.D. (1993). *Mathematical Biology* (2nd edition). Springer-Verlag, New York.
- Murray, J.D. and R.P. Sperb. (1983). Minimum domains for spatial patterns in a class of reaction-diffusion equations. *J. Math. Biol.* **18**, 169-184.
- Nash, J. (1958). Continuity of solutions of parabolic and elliptic equations. *Amer. J. Math.* **80**, 931-954.
- Noss, R.F., E. Dinerstein, B. Gilbert, M. Gilpin, B.J. Miller, J. Terborgh, and S. Trombulak. (1989). Core areas: Where nature reigns. In M.E. Soulé and J. Terborgh, eds. *Continental Conservation: Foundations of Regional Reserve Networks*, 99-128. Island Press, Washington, D.C.
- Nussbaum, R. (1984). Positive operators and elliptic eigenvalue problems. *Math. Zeitschrift* **186**, 247-264.
- Okubo, A. (1980). *Diffusion and Ecological Problems: Mathematical Models*. Springer-Verlag, New York.
- Okubo, A., P.K. Maini, M.H. Williamson and J.D. Murray. (1989). On the spatial spread of the grey squirrel in Britain. *Proc. Royal Soc. London* **B238**, 113-125.
- Olson, D.B. and R.R. Hood (1994). Modelling pelagic biogeography. *Prog. Oceanogr.* **34**, 161-205.
- Ouyang, T. and J. Shi. (1998). Exact multiplicity of positive solutions for a class of semilinear problems. *J. Diff. Equations* **146**, 121-156.
- Pacala, S.W. and S.A. Levin. (1997). Biologically generated spatial pattern and the coexistence of competing species. In D. Tilman and P. Kareiva, eds. *Spatial Ecology*, 204-232. Princeton University Press, Princeton, N.J.
- Pacala, S.W. and J. Roughgarden. (1982). Spatial heterogeneity and interspecific competition. *Theor. Pop. Biol.* **21**, 92-113.
- Paine, R.T. (1966). Food web complexity and species diversity. *American Naturalist* **100**, 65-75.
- Paine, R.T. (1969). A note on trophic complexity and community stability. *American Naturalist* **103**, 91-93.
- Pao, C.V. (1969). Coexistence and stability of a competition-diffusion system in population dynamics. *J. Math. Anal. Appl.* **83**, 54-76.
- Pao, C.V. (1992). *Nonlinear Parabolic and Elliptic Equations*. Plenum Press, New York.
- Patterson, B.D. and W. Atmor (1986). Nested subsets and the structure of insular mammalian faunas and archipelagoes. *Biological J. Linnean Soc.* **28**, 83-98.
- Pazy, A. (1983). *Semigroups of Linear Operators and Applications to Partial Differential Equations*. Applied Mathematical Sciences **44**, Springer-Verlag, New York.
- Pimm, S.L. and M.E. Gilpin. (1989). Theoretical issues in conservation ecology. In J. Roughgarden, R.M. May, and S.A. Levin, eds. *Perspectives in Ecological Theory*, 287-305. Princeton University Press, Princeton, N.J.
- Protter, M.H. and H.F. Weinberger (1966). On the spectrum of general second order operators. *Bull. Amer. Math. Soc.* **72**, 251-255.
- Protter, M.H. and H.F. Weinberger. (1967). *Maximum Principles in Differential Equations*. Prentice-Hall, Englewood Cliffs, N.J.
- Pulliam, H.R. (1988). Sources, sinks, and population regulation. *American Naturalist* **132**, 652-661.
- Quinn, J.F. and J.R. Karr. (1993). Habitual fragmentation and global change. In P.M. Kareiva, J.G. Kingsolver and R.B. Huey, eds. *Biotic Interactions and Global Change*, 451-463. Sinauer, Sunderland, Massachusetts.
- Quinn, T.J., and R.B. Deriso. (1999). *Quantitative Fish Dynamics*. Oxford University Press.

- New York.
- Rabinowitz, P.H. (1971). Some global results for nonlinear eigenvalue problems. *J. Functional Analysis* **7**, 487-413.
- Rabinowitz, P.H. (1973). Some aspects of nonlinear eigenvalue problems. *Rocky Mountain J. Math.* **3**, 161-202.
- Ricker, W.E. (1954). Stock and recruitment. *Journal Fisheries Research Board of Canada* **11**, 559-623.
- Ricker, W.E. (1975). *Computation and Interpretation of Biological Statistics of Fish Populations*. Bulletin of the Fisheries Research Board of Canada **191**. Ottawa.
- Rosenzweig, M.L. (1971). Paradox of enrichment: Destabilization of exploitation ecosystems in ecological time. *Science* **171**, 385-387.
- Roughgarden, J. (1989). The structure and assembly of communities. In J. Roughgarden, R.M. May and S.A. Levin, eds. *Perspectives in Ecology Theory*, 203-226. Princeton University Press, Princeton, New Jersey.
- Roughgarden, J., S.A. Levin, and R.M. May, eds. (1989). *Perspectives in Ecological Theory*. Princeton University Press, Princeton, New Jersey.
- Royden, H. (1968). *Real Analysis*, 2nd ed. Collier-Macmillan, London.
- Rudin, W. (1976). *Principles of Mathematical Analysis*. McGraw-Hill, New York.
- Rudin, W. (1966). *Real and Complex Analysis*. McGraw-Hill, New York.
- Ruxton, G., W.S.C. Gurney and A. De Roos. (1992). Interference and generation cycles. *Theor. Pop. Biol.* **42**, 235-253.
- Saperstone, S.H. (1981). *Semidynamical Systems in Infinite Dimensional Spaces*. Appl. Math. Sci. **37**. Springer-Verlag, New York.
- Schaefer, A.H. (1971). *Topological Vector Spaces*. Springer, New York.
- Schaefer, P.W. ed. (1988). *Maximum Principles and Eigenvalue Problems in Partial Differential Equations*, Pitman Research Notes in Mathematics **175**. Longman, Harlow, Essex, U.K.
- Schaffer, W.M., S. Ellner, and M. Kot. (1986). Effects of noise on some dynamical models in ecology. *J. Math. Biol.* **24**, 479-523.
- Schiaffino, A. and A. Tesei. (1982). Competition systems with Dirichlet boundary conditions. *J. Math. Biol.* **15**, 93-105.
- Schoener, T.W. (1973). Population growth regulated by intraspecific competition for energy or time: some simple representations. *Theor. Pop. Biol.* **4**, 56-84.
- Schoener, T.W. (1974). Competition and the form of habitat shift. *Theor. Pop. Biol.* **6**, 265-307.
- Schoener, T.W. (1976). Alternatives to Lotka-Volterra competition: Models of intermediate complexity. *Theor. Pop. Biol.* **10**, 309-333.
- Schoener, T.W. (1978). Effects of density-restricted food encounter on some single-level competition models. *Theor. Pop. Biol.* **13**, 365-381.
- Schoener, T.W. (1986). Mechanistic approaches to community ecology: A new reductionism? *Amer. Zool.* **26**, 81-106.
- Schuster, P., K. Sigmund and R. Wolff. (1979a). On  $\omega$ -limits for competition between three species. *SIAM J. Appl. Math.* **37**, 49-54.
- Schuster, P., K. Sigmund and R. Wolff. (1979b). Dynamical systems under constant organization III: Cooperative and competitive behavior of hypercycles. *J. Diff. Equations* **32**, 357-368.
- Sell, G.R. (1967). Nonautonomous differential equations and topological dynamics, I, II. *Trans. Amer. Math. Soc.* **127**, 241-283.
- Sell, G.R. (1971). *Topological Dynamics and Ordinary Differential Equations*. Van Nostrand, London.
- Senn, S. and P. Hess. (1982). On positive solutions of a linear elliptic eigenvalue problem with Neumann boundary conditions. *Math. Ann.* **258**, 459-470.
- Seno, H. (1988). Effect of a singular patch on population persistence in a multi-patch system.

- Ecol. Modelling.* **43**, 271-286.
- Shen, W. and Y. Yi. (1998a). Almost automorphic and almost periodic dynamics in skew-product semiflows, II: Skew-product semiflows. *Memoirs Amer. Math. Soc.* **136**, 23-52.
- Shen, W. and Y. Yi. (1998b). Almost automorphic and almost periodic dynamics in skew-product semiflows, III: Applications to differential equations. *Memoirs Amer. Math. Soc.* **136**, 53-93.
- Shen, W. and Y. Yi. (1998c). Convergence in almost periodic Fisher and Kolmogorov models. *J. Math. Biol.* **37**, 84-102.
- Skalski, G.T. and J.F. Gilliam. (2001). Functional responses with predator interference: Viable alternatives to the Holling type II model. *Ecology* **82**, 3083-3092.
- Skellam, J. (1951). Random dispersal in theoretical populations. *Biometrika* **38**, 196-218.
- Smith, H. (1995). *Monotone Dynamical Systems*. Mathematical Surveys and Monographs **41**. American Mathematical Society, Providence, R.I.
- Smoller, J. (1982). *Shock Wave and Reaction-Diffusion Equations*. Springer-Verlag, New York.
- Smoller, J. and A. Wasserman. (1981). Global bifurcation of steady-state solutions. *J. Diff. Equations* **39**, 269-290.
- Snyder, N.F.R., J.W. Wiley, and C.B. Kepler. (1987). *The Parrots of Luquillo: Natural History and Conservation of the Puerto Rican Parrot*. Western Foundation of Vertebrate Zoology, Los Angeles, California.
- Soderstrom, B., T. Part, and J. Ryden. (1998). Different nest predator faunas and nest predation risk on ground and shrub nests at forest ecotones: An experiment and a review. *Oecologia* (Berlin) **117**, 108-118.
- Soulé, M.E., ed. (1986). *Conservation Biology: The Science of Scarcity and Diversity*. Sinauer, Sunderland, Massachusetts.
- Soulé, M.E., ed. (1987). *Viable Populations for Conservation*. Cambridge University Press, Cambridge, U.K.
- Soulé, M.E. and J. Terborgh, eds. (1989). *Continental Conservation: Foundations of Regional Reserve Networks*. Island Press, Washington D.C.
- Sperb, R.P. (1981). *Maximum Principles and Their Applications*. Academic Press, New York.
- Spohn, H. (1991). *Large Scale Dynamics of Interacting Particles*. Springer-Verlag, New York.
- Stamps, J.A., M. Buechner, and V.V. Krishnan. (1987). The effects of edge permeability and habitat geometry on emigration from patches of habitat. *American Naturalist* **179**, 533-552.
- Strauss, W.A. (1992). *Partial Differential Equations*. Wiley, New York.
- Strong, D.R. (1986a). Density-vague population change. *Trends in Ecology and Evolution* **1**, 39-42.
- Strong, D.R. (1986b). Density vagueness: Abiding the variance in the demography of real populations. In J. Diamond and T.J. Case, eds. *Community Ecology*, 257-268. Harper and Row, New York.
- Sun, G., Q. Cui and B. Song. (1991). A new mathematical model of interspecific competition - an expansion of the classical Lotka-Volterra competition equations. *Ecological Modelling* **58**, 273-284.
- Takeuchi, Y. (1985). Predator-mediated coexistence in a Volterra model. In *Mathematics in Biology and Medicine (Bari 1983)*. Lecture Notes Biomath. **57**, 92-97. Springer-Verlag, New York.
- Tanner, J.T. (1975). The stability and the intrinsic growth rates of prey and predator populations. *Ecology* **56**, 855-867.
- Tilman, D. (1982). *Resource Competition and Community Structure*. Princeton University Press, Princeton, N.J.
- Tilman, D. (1994). Competition and biodiversity in spatially structured habitats. *Ecology* **75**, 2-16.
- Tilman, D., C.L. Lehman and P. Kareiva. (1997). Population dynamics in spatial habitats. In

- D. Tilman and P. Kareiva, eds. *Spatial Ecology*, 3-20. Princeton University Press, Princeton, N.J.
- Turchin, P. (1989). Population consequences of aggregative movement. *J. Animal Ecol.* **58**, 75-100.
- Turchin, P. (1998). *Quantitative Analysis of Movement*. Sinauer, Sunderland Massachusetts.
- Turing, A.M. (1952). The chemical basis of morphogenesis. *Phil. Trans. Royal Soc. London.* **B237**, 37-72.
- Van Kirk, R. and M. Lewis (1997). Integrodifference models for persistence in fragmented habitats. *Bull. Math. Biol.* **59**, 107-137.
- Van Kirk, R.W. and M.A. Lewis (1999). Edge permeability and population persistence in isolated habitat patches. *Nat. Resource Modeling* **12**, 37-64.
- Van Vuuren, J.H. and J. Norbury. (2000). Conditions for permanence in well-known biological competition models. *ANZIAM J.* **42**, 195-223.
- Verhulst, P.F. (1838). Notice sur la loi que la population suite dans son accroissement. *Correspondence Mathématique et Physique* **10**, 113-121.
- Volterra, V. (1928). Variations and fluctuations of the number of individuals in animal species living together. *Journal du Conseil, Conseil International pour L'Exploration de la Mer* **3**, 2-51.
- Volterra, V. (1931). *Lecons sur la Théorie Mathématique de la Lutte pour la Vie*. Marcel Brelot, Paris.
- Walsh, J.B. (1978). A diffusion with discontinuous local time. *Astérisque* **52-53**, 37-45.
- Walter, W. (1970). *Differential and Integral Inequalities*. Springer-Verlag, New York.
- Waltman, P. (1991). A brief survey of persistence in dynamical systems. In S. Busenberg and M. Martelli, eds., *Delay-Differential Equations and Dynamical Systems*, 31-40. Lecture Notes in Mathematics **1475**, Springer-Verlag, New York.
- Webb, G.F. (1985). *Theory of Nonlinear Age-Dependent Population Dynamics*. Marcel Dekker, New York.
- Wegner, J.F. and G. Merriam. (1979). Movement by birds and small animals between a wood and adjoining farmland habitats. *Journal of Applied Ecology* **16**, 349-357.
- Weinberger, H.F. (1974). *Variational Methods for Eigenvalue Approximation*. CBMS Regional Conference Series in Applied Mathematics **15**. Society for Industrial and Applied Mathematics, Philadelphia.
- Weinberger, H.F. (1982). Long-time behavior of a class of biological models, *SIAM J. Math. Anal.* **13**, 353-396.
- Wendi, W. and M. Zhen. (1991). Harmless delays for uniform persistence. *J. Math. Anal. Appl.* **158**, 256-268.
- Wilcove, D.S. (1985). Nest predation in forest tracks and the decline of migratory songbirds. *Ecology* **66**, 1211-1214.
- Williams, S.A. and P.L. Chow. (1978). Nonlinear reaction-diffusion models for interacting populations. *J. Math. Anal. Appl.* **62**, 157-169.
- Williamson, M. (1981). *Island Populations*. Oxford University Press, New York.
- Yahner, R.H. (1983). Population dynamics of small mammals in farmstead shelterbelts. *J. Mammalogy* **64**, 380-386.
- Yi, Y. (1998). Almost automorphic and almost periodic dynamics in skew-product semiflows, I: Almost automorphy and almost periodicity. *Memoirs Amer. Math. Soc.* **136**, 1-22.
- Yodzis, P. (1989). *Introduction to Theoretical Ecology*. Harper and Row, New York.
- Zeidler, E. (1985). *Nonlinear Functional Analysis and Its Applications I. Fixed-Point Theorems*. Springer-Verlag, New York.
- Zeidler, E. (1986). *Nonlinear Functional Analysis and Its Applications II*. Springer-Verlag, New York.
- Zhao, X.-Q. (2002). Global attractivity in monotone and subhomogeneous almost periodic systems. *J. Diff. Equations*, In press.
- Zinner, B. (1991). Stability of traveling wavefronts for the discrete Nagumo equation. *SIAM*

*J. Math. Analysis* **22**, 1016-1020.

Zinner, B. (1992). Existence of traveling wavefront solutions for the discrete Nagumo equation. *J. Differential Equations* **96**, 1-27.

Zinner, B., G. Harris, and W. Hudson. (1993). Traveling wavefronts for the discrete Fisher's equation. *J. Differential Equations* **105**, 46-62.